



RISK ASSESSMENT - SHOOTOUT

07498 676 646

01653 50 31 32

INFO@KEIRASKASTLES.CO.UK

WWW.KEIRASKASTLES.CO.UK

| Hazard Area | Risk | Existing Controls | Likelihood 1-5 | Severity 1-5 | Risk Score LxS | Further Action to take |
|-------------------|--|--|----------------------|----------------------|----------------------|--|
| Football Shootout | Over enthusiastic participants | Responsible person supervising at all times. | 2 | 1 | 1 | In the event of large numbers of participants trained operators should be supplied with the inflatable to aid with large numbers. |
| Football Shootout | Jumping over unit | Responsible person supervising at all times. | 1 | 1 | 1 | In the event of large numbers of participants trained operators should be supplied with the inflatable to aid with large numbers. |
| Football Shootout | Danger of unnecessary injury. | Ensure that no one with a history of back or neck problems or who suffers from a heart complaint uses the Inflatable or anyone who is feeling unwell or suffering the effects of alcohol or drugs & Pregnant women may NOT use any equipment at anytime. | 1 | 5 | 5 | None |
| Football Shootout | Adverse weather conditions. | The item will be switched off in heavy rain and is not permitted to run in strong winds as both these conditions can be deemed a health and safety risk. | Dependant on weather | Dependant on weather | Dependant on weather | None |
| Football Shootout | Danger of being hit by a ball | Unfortunately this is inevitable and a high risk. Adult supervision is required at all times to ensure maximum safety. | 5 | 2 | 10 | None |
| Football Shootout | Injury through lack of supervision. | A fully trained operator must be present with the unit at all times, in the event that the operator is not in view Do Not enter the any circumstances. | 1 | 5 | 5 | None |
| Football Shootout | Tripping over anchorage points, spare equipment, electrical cables | Anchor points used as per manufacturers instructions and spare equipment erected safely or stowed away. Where possible electrical cable does not cross any public pathway. | 1 | 1 | 1 | In the event of large numbers of participants attending or large events, additional safety fencing is erected, electrical cables will be erected overhead or covered and |
| Football Shootout | Injury through incorrect positioning. | Do not move or try to reposition the inflatable under any circumstances and ensure that the anchors are in place at all times. | 1 | 2 | 2 | None |
| Football Shootout | Petrol Blower, Generator Risk of fire | Blowers/generators filled with fuel before delivery, units are fire retardant. | 3 | 1 | 1 | All spare fuel is stored in suitable marked container, and in a safe location, units switched off during re fuelling, |
| Football Shootout | Choking | No food drinks or chewing gum to be allowed on or near the Inflatable. | 1 | 4 | 4 | None |
| Football Shootout | Injury through 3 rd party items | All shoes, glasses, jewellery, badges MUST be removed before using this Inflatable. | 1 | 5 | 5 | None |
| Football Shootout | Danger of fire. | No smoking or barbecues near the Inflatable at any time. | 1 | 5 | 5 | None |
| Football Shootout | Injury through 3 rd party & spectators. | Always ensure that the area surrounding the Inflatable is not overcrowded. | 2 | 3 | 6 | None |
| Football Shootout | Emergency | In the event that someone is seriously injured, DO NOT move the individual, leave the inflatable switched on and dial 999 immediately. | 1 | 5 | 5 | None |
| Football Shootout | Injury through lack of inflatable pressure or suffocation. | Do not allow anyone to be on the Inflatable during inflation or deflation as this can be EXTREMELY DANGEROUS. | 1 | 2 | 2 | None |
| Football Shootout | Injury through insecure anchorage. | Never use this unit without proper anchorage in place, It may be blown over in certain wind conditions, If the inflatable unit is not anchored correctly please ensure you tell the erection team before they leave as we keep a tight schedule and may not be able to return immediately. | 1 | 5 | 5 | None |

L=Likelihood S=Severity L*S= Risk 1=Low 5=High

Risk is worked out using numbers 1 - 5. The likelihood is given a number and this is multiplied by the number given to the severity of the risk.

The result = the risk factor. This generic risk assessment is brief and we have our own individual assessments for each individual risk, 25 being the worst possible outcome, any item reaching 25 would give serious cause for concern & we would not be able to erect the unit. It is recommended that clients undertake their own risk assessment to suit their requirements.